


DRIED FRUIT PROCESSING LINE SYSTEMS

Raisin Washing & Packaging Line | Apricot Washing & Grading Line | Thyme Processing Line

Date Washing & Cleaning Line | Fig Washing & Grading Line





ABOUT US

Established in 2018 in Turkey, specifically in Istanbul, our company is an international trade entity boasting a team with over 15 years of specialized experience in the sector. Our dedicated and experienced professionals are committed to supplying high-quality and technological products at competitive prices to partners worldwide, spanning both accessible and seemingly inaccessible markets. We forge agreements with domestic and foreign highlevel production partners, offering unique services and job opportunities tailored to meet our customers' needs.

Benefiting from our well-established relationships with logistic lines, our company operates directly with sector-leading logistic networks, efficiently managing all logistic operations with optimal transit times and economic costs in a professional manner. Bumach provides specialized services across 4 continents and in 32 countries, consistently delivering value while contributing to the sectors in which we operate.

Our business development policies center around strategic investments, aiming for continuous export-oriented growth and reaching the pinnacle of world trade. Our focus is not only on financial profit but also on creating values that guide the future. Through pioneering initiatives and bold enterprises, we explore new markets of high potential, delivering solutions focused on the needs of businesses and clients.


In our pursuit of sustained success, client preference, and maintaining trust, we pay attention to various critical factors, including:

- Provision of high-quality and functional products at competitive prices
- Transparency, honesty, and ethical approach towards all matters
- Logistic cost advantage due to our direct link with the logistic network
- Easy accessibility and 24/7 technical support
- Customer-friendly service approach based on mutual trust
- Needs-led specialized project and project development, including customizable machine size and dimensions
- Comprehension of foreign trade legislation and international trade models

Our diverse fields of operation encompass agricultural machinery and spare parts, generators, communal vehicles (garbage trucks, fire trucks, water trucks, etc.), heat-pumped fruit and vegetable dryers, processing lines for various dried fruits, all kinds of industrial conveyor lines, x-ray and laser machines including all sorter and reject systems, pressure/non-pressure vessels, dished heads, steel & stainless steel tanks, engineering services consulting, and customer-oriented projects.

Bumach Presentation video





RAISIN

Washing & Packaging Line




Raisin Washing & Packaging Line

Capability of processing raisins from a minimum of 1ton to a maximum of 10 tons per hour.

- » Possibility of special production in different manufacturing with a client-oriented approach, providing products in various shapes and sizes tailored to specific usage locations and purposes.
- » Capable of processing all varieties of grapes cultivated in Iran, Uzbekistan, Afghanistan, Tajikistan, Kyrgyzstan, Turkey, and Latin American countries.
- » A robust and functional design, crafted entirely from AISI 304L stainless steel for enhanced durability and performance.

LAYOUT OF RAISIN WASHING AND PACKAGING LINE





Hydraulic Box Dumper Machine

The hydraulic box dumper machine facilitates the transfer of products from bins with standard dimensions into the anchor dosing bunker in the subsequent stage.

- » Hydraulic and electronic equipment.
- » Rapid mobility and time-saving capabilities.
- » Robust design, exceptional craftsmanship, and outstanding performance.
- » Front covers designed to mitigate accident risks by automatically disabling the system when opened.
- » Ease of handling and effortless cleaning.

TECHNICAL SPECIFICATIONS

Height	: 4110 mm
Width	: 2407 mm
Length	: 1922 mm
Standard Case Dimensions	: 1195x1005x725 mm
Max. load capacity	: 600 Kg
Capacity per hour	: 3 Ton
Movement	: Hydraulic
Used material	: 304-stainless
Used grease	: Hydraulic grease numbered 68
Grease volume	: 90Lt
Engine power	: 11Kw/h
Operation pressure	: 180 Bar
Min. Operation temperature	: 0 °C
Max. Operation temperature	: 40 °C





Anchor Dosing Bunker

The anchor dosing bunker allows products to descend in a controlled and uniform manner by accurately and evenly depositing the blocked raisin masses, poured from the hydraulic box tipper machine, onto the conveyor belt using the internal anchors inside.

- » The gridiron system ensures workplace safety and cleanliness.
- » With internal anchors, the system effectively breaks down ball-shaped products into smaller pieces, facilitating easy and seamless transfer onto the conveyor belt.
- » Electronic hand operated control system. A stainless steel ergonomic platform meticulously designed to meet stair standards for optimal functionality and safety.
- » It can be custom-manufactured in various shapes and sizes tailored to specific usage, location, and intended purpose.

TECHNICAL SPECIFICATIONS

Height	: 3756 mm
Width	: 1730 mm
Length	: 1730 mm
Standard Case Dimensions	: 1195x1005x725 mm
Max. load capacity	: 500 Kg
Capacity per hour	: 3 Tons
Movement	: Gearmotor
Engine power	: 3 Kw/h
Used material	: 304-stainless



**All
Stainless
Steel
Material**







Feeding Conveyor

Transporting your raw or processed products from one location to another is now significantly simplified with feeding conveyors.

- » A user-friendly stylish and elegant design, crafted entirely from stainless steel material.
- » Simplified cleaning process.
- » PVC-palletized belt.
- » Significant tank capacity.
- » Variable speed control.



TECHNICAL SPECIFICATIONS

Height	: 4110 mm
Width	: 2407 mm
Length	: 1922 mm
Standard Case Dimensions	: 1195x1005x725 mm
Max. load capacity	: 600 Kg
Capacity per hour	: 3 Ton
Movement	: Hydraulic
Used material	: 304-stainless
Used grease	: Hydraulic grease numbered 68
Grease volume	: 90Lt
Engine power	: 11Kw/h
Operation pressure	: 180 Bar
Min. Operation temperature	: 0 °C
Max. Operation temperature	: 40 °C



Vertical Block Opening Machine

The vertical block opening machine will prove to be your invaluable assistant in breaking blocks into molded pieces for your products.



- » A stylish and dynamic design crafted entirely from stainless steel material...
- » Simple installation on an aspirated shaker according to the desired scenario...
- » Designed for easy washing and cleaning...
- » Versatile engine options simplify achieving the desired output effortlessly...
- » With the assistance of the anchors, skilled craftsmen in the flathead crushing process can effortlessly separate even the most stubborn blocks into grains.
- » Adjustable feet designed to prevent any form of jolts ensure that rigidity is no longer a concern.



Aspired Shaker

The aspired shaker has become a favorite among many companies for its capability to sift objects like stones and soils in the fallen products through the screen section.

Additionally, it allows for aspirating and removing unwanted items such as light leaves, stems, and trash.



- » A body made entirely of stainless steel with durable oscillation elements.
- » You have the opportunity to enhance the value of your products and operations by incorporating highly durable stainless steel screens, custommanufactured to suit each product group.
- » Differing from a standard aspirated shaker, it expedites the transmission of dust into the aspirator through an added blowing capability, ensuring a quicker process.
- » Capable of grading and differentiating foreign matter from products such as grape, beans, chickpeas, lunar kernels, and pumpkin seeds.
- » Even the most resilient debris concealed within the product yielded to the bottom-blown aspired shaker. Now, it's the competitor's turn.
- » It can be custom-produced in various sizes based on the intended usage location and purpose.



STANDARD SHAKER DIMENSIONS

Width x Lenght (mm)	B				
A	1000	1500	2000	2500	3000
750	✓	✓	✓	✓	✓
1000	✓	✓	✓	✓	✓
1200	✓	✓	✓	✓	✓
1500	✓	✓	✓	✓	✓



Juicy Product Transfer Pump

The juicy product transfer pump facilitates the cleaning of the product inside by using pressurized water during the transfer process.

- » The cleaned product is conveyed to the cascade through broad channels facilitated by the snail pump.
- » Ease of handling and effortless cleaning.
- » With the potent pump and engine, all the sought-after features are now within your reach.
- » The juicy product transfer pump is specially crafted to eliminate dust, dirt, and other impurities from your product.



**All AISI
304
STAINLESS
STEEL
MATERIAL**





Stone & Sand Separating Cascade

As your products descend with water onto the cascade, they will undergo purification from materials like stones, sand, gravel, etc., requiring nothing more than observation on your part.

- » Ease of handling and effortless cleaning.
- » Adjustable feet designed to prevent any form of jolts ensure that rigidity is no longer a concern.
- » Upon completion of the task, you can lower the waterfall lever, allowing all the debris to exit through the water outlet.
- » Additionally, we construct a waste water tank to prevent the accumulation of coarse dust and avoid blockages.



**ALL AISI
304
STAINLESS
STEEL
MATERIAL**



Water-Throwing Shaker

The mixture of water and product enters with force but is efficiently separated on the waterthrowing shaker, ensuring swift and reliable progress of the product to the next stage.

- » The decision is yours to enhance the value of your products and operations with highly durable stainless screens, specifically tailored for each product group.
- » An all-stainless steel body, robust oscillation elements, powerful vibration, and a guaranteed 100% result.
- » The waste water tank offers significant convenience, effectively preventing drains from clogging due to large-grained products and dust.
- » It can be custom-produced in various sizes, catering to specific usage locations and purposes!



STANDARD SHAKER DIMENSIONS

Width x Length (mm)	B				
A	1000	1500	2000	2500	3000
750	✓	✓	✓	✓	✓
1000	✓	✓	✓	✓	✓
1200	✓	✓	✓	✓	✓
1500	✓	✓	✓	✓	✓



Feeding Spiral

Its standout feature is its functionality.

- » It ensures a well-balanced conveyance of the product loaded from the tank to the next stage.
- » Speed control is in your hands thanks to the powerful gearmotor options.
- » The top covers not only enhance safety but also ensure maximum comfort and ease of cleaning.
- » Effortless mobility to designated places is facilitated by the lockable wheeled feet.
- » A user-friendly stylish and elegant design, crafted entirely from stainless steel material.
- » It can be custom-produced in various sizes based on the intended usage place and purpose, offering flexibility and adaptability!





Pedice Remover

Pedice is the stalk or stem that attaches an individual grape to the cluster or bunch on the grapevine.

- » It precisely severs the stems of the product from the top without causing damage, thanks to the ax knives located inside. This process, often challenging for many workers, is executed smoothly by the pedice remover on its own.
- » The capability to simultaneously remove water from wet products during the process.
- » Rigidity will no longer be an issue, thanks to the adjustable feet designed to prevent any kind of jolts.
- » Comfortable handling and easy cleaning are facilitated by the covers on both the top and bottom sides.



**All AISI
304
STAINLESS
STEEL
MATERIAL**



Dust-Throwing Shaker

The double deck screen system provides valuable assistance in effectively separating coarse dust that accompanies the product.

- » The decision is in your hands to enhance the value of your products and operations with highly durable stainless screens, each tailored to the specific requirements of individual product groups.
- » A complete stainless steel body, robust oscillation elements, powerful vibration, ensuring a 100% result.
- » Eliminate both coarse and fine dust in a single use.
- » It can be custom-produced in various sizes, tailored to the specific usage location and intended purpose.



STANDARD SHAKER DIMENSIONS

Width x Length (mm)	B				C	
	1000	1500	2000	2500	3000	1500
A						
750	✓	✓	✓	✓	✓	✓
1000	✓	✓	✓	✓	✓	✓
1200	✓	✓	✓	✓	✓	✓
1500	✓	✓	✓	✓	✓	✓




Illuminated Selection Conveyor

You can effortlessly eliminate unwanted foreign bodies and materials mixed with your products using the conveyor.



- » Unwanted objects now find it challenging to hide among products, thanks to the powerful and high-quality LED light.
- » You have control over the speed, thanks to the powerful Variable Frequency Motor options.
- » Designed for comfortable handling and easy cleaning.
- » The issue of rigidity is resolved with the adjustable feet designed to prevent any kind of jolts.
- » It can be custom-produced in various shapes and sizes, tailored to the specific usage location and intended purpose!




ILLUMINATED SELECTION CONVEYOR DIMENSIONS

Width x Length (mm)		B						
A		1500	2000	2500	3000	4000	5000	6500
500		✓	✓	✓	✓	✓	✓	✓
600		✓	✓	✓	✓	✓	✓	✓
800		✓	✓	✓	✓	✓	✓	✓



Box Filling Scale

Semi-automatic box filling scales enable you to achieve both rough and precise filling of your products in a controlled manner directly into the boxes.



- » The precision weighing capability will provide you with a sense of relaxation and accuracy.
- » The drag levers on the weighing system ensure that the boxes continue to move in equal intervals safely.
- » Crafted for ease of handling and straightforward cleaning.
- » With a specially programmed electronic panel, your only task will be placing the box, as it takes care of the rest.
- » A robust design, crafted entirely from stainless steel material, and a working principle that instills confidence.



Box Closing Table

Box closing tables, designed to close covers before processing packed products through the box banding machine, provide a comfortable and convenient working environment.



- » Crafted for ease of handling and straightforward cleaning.
- » An elegant and stylish design crafted entirely from stainless steel materials.
- » It can be specially produced in various shapes and sizes tailored to the specific usage location and



Roller Table

It is now much easier to transfer your packaged products from one location to another with roller tables...



- » Designed for comfortable handling and easy cleaning, the equipment boasts a stylish and robust design made entirely from stainless steel materials.
- » With long-life durable bearings, it ensures a smooth transfer for products.
- » Moreover, it can be specially produced in various shapes and sizes, tailored to different usage locations and purposes!

STANDART ROLLER TABLE DIMENSIONS


Width x Lenght (mm)	B						
A	1500	2000	2500	3000	4000	5000	6000
400	✓	✓	✓	✓	✓	✓	✓
500	✓	✓	✓	✓	✓	✓	✓
700	✓	✓	✓	✓	✓	✓	✓
900	✓	✓	✓	✓	✓	✓	✓



Balanced Product Feeding Dosage

Balanced product feeding dosage ensures that the manually discharged products are delivered in a balanced manner and evenly to the next stage.

- » With the assistance of the internal anchors, it also aids in separating your products into individual grains.
- » A sizable bunker tank capable of holding a significant portion of your products.
- » Designed for comfortable handling and easy cleaning, the equipment boasts a stylish and robust design made entirely from stainless steel materials.
- » It can be customized in various sizes based on the intended usage location and purpose, offering flexibility and adaptability!





Manuel Box Filling Bunker

It provides you with the option to effortlessly fill your final products into empty boxes by simply pulling the lever on the side.



- » A sizable bunker tank capable of holding a significant portion of your products.
- » Your tasks will be significantly simplified thanks to the convenient use of the product discharge lever.
- » Designed for comfortable handling and easy cleaning, the equipment boasts a stylish and robust design made entirely from stainless steel materials.
- » It can be customized in various sizes based on the intended usage location and purpose, offering flexibility and adaptability!




DATE

WASHING & CLEANING
LINE




Date Washing & Cleaning Line



The ability of processing products from minimum 1 ton to maximum 10 tons per hour

- » A stylish and robust design crafted entirely from stainless steel materials.
- » Both washing and cleaning lines and cube cutting and pasting lines...
- » It can be customized in various shapes and sizes to suit specific usage locations and purposes!



Item No	Machine Name
---------	--------------


- | | |
|---|-----------------------------------|
| 1 | Block Breaking Tube |
| 2 | Balanced Product Feeding Conveyor |
| 3 | Vertical Block Breaking Machine |
| 4 | Balanced Product Feeding Conveyor |
| 5 | Aspired Shaker |
| 6 | Illuminated Selection Conveyor |
| 7 | Balanced Product Feeding Conveyor |
| 8 | Tub |

Item No	Machine Name
---------	--------------

- | | |
|----|-----------------------------------|
| 9 | Water-throwing Shaker with Fan |
| 10 | Lubricating Shaker |
| 11 | Balanced Product Feeding Conveyor |
| 12 | Semi-Automatic Box Filling Scale |
| 13 | Box Closing Table |
| 14 | Box Sealing Machine |
| 15 | Metal Detector |
| 16 | Roller Table |



Aspired Shaker



The Aspirated Shaker has gained popularity among many companies for its ability to sift objects such as stones and soils in the fallen products to the screen part. Additionally, it facilitates the aspiration and removal of unwanted objects like light leaves, stems, and trash.

- » An all-stainless steel body, resilient oscillation elements, powerful vibration, and guaranteed 100% results.
- » The decision is yours to enhance the value of your products and operations with highly durable and stainless screens, each tailored to the specific requirements of every product group.
- » Unlike the standard aspirated shaker, it enables faster transmission of dust into the aspirator, thanks to the blowing capability that is included afterward.
- » The capability to grade and distinguish foreign matter from products such as grape, bean, chickpea, lunar kernel, pumpkin core, etc.
- » Even the most stubborn debris concealed among the products yielded to the bottom-blown aspirated shaker. Now, it's the competitor's turn.
- » It can be custom-produced in various sizes depending on the intended usage location and purpose.



STANDARD SHAKER DIMENSIONS

Width x Lenght (mm)		B				
A	1000	1500	2000	2500	3000	
750	✓	✓	✓	✓	✓	
1000	✓	✓	✓	✓	✓	
1200	✓	✓	✓	✓	✓	
1500	✓	✓	✓	✓	✓	




Illumanted Selection Conveyor

You can easily pull out unwanted foreign bodies mixed with your products with illuminated selection conveyors...



- » Unwanted objects now find it challenging to hide among products, thanks to the powerful and high-quality LED light.
- » You have control over the speed, thanks to the powerful Variable Frequency Motor options.
- » Designed for comfortable handling and easy cleaning.
- » The issue of rigidity is resolved with the adjustable feet designed to prevent any kind of jolts.
- » It can be custom-produced in various shapes and sizes, tailored to the specific usage location and intended purpose!



ILLUMINATED SELECTION CONVEYOR DIMENSIONS


Width x Length (mm)		B						
A		1500	2000	2500	3000	4000	5000	6500
500		✓	✓	✓	✓	✓	✓	✓
600		✓	✓	✓	✓	✓	✓	✓
800		✓	✓	✓	✓	✓	✓	✓



Feeding Conveyor

Transporting your raw or processed products from one location to another is now significantly simplified with feeding conveyors.

- » A user-friendly stylish and elegant design, crafted entirely from stainless steel material.
- » Simplified cleaning process.
- » PVC-palletized belt.
- » Significant tank capacity.
- » Variable speed control.
- » It can be specially manufactured in various sizes tailored to the specific usage, location, and purpose.





Tub

The tub enables your products to undergo washing, cleaning, moisturizing, and then be seamlessly delivered to the next stage.



- » The ability to work with hot and cold water. Maximum cleaning achieved with air bubbles, ensuring 100% safety.
- » Optional self-heating and burner-operated system features are available.
- » A robust design, constructed from high-quality stainless materials, and a reassuring working principle.
- » Highly practical, equipped with easy mobility and cleaning features.
- » It can be specially produced in different sizes depending on the usage place and purpose!!!





Seed Removing Machine

It facilitates seed removal without any issues, thanks to the specially designed interior blades.

- » Easy to handle and simple to clean.
- » The capability to efficiently remove the seeds from dates and apricots.
- » A robust design, constructed entirely from stainless steel material, ensuring a 100% guaranteed result..
- » With the robust engine and adjustable speed control system, achieving the desired efficiency becomes a straightforward task.
- » The adjustable feet, designed to prevent any form of jolts, ensure that rigidity is no longer a concern.





Box Filling Scale

Semi-automatic box filling scales enable you to achieve both rough and precise filling of your products in a controlled manner directly into the boxes.



- » The precision weighing capability will provide you with a sense of relaxation and accuracy.
- » The drag levers on the weighing system ensure that the boxes continue to move in equal intervals safely.
- » Crafted for ease of handling and straightforward cleaning.
- » With a specially programmed electronic panel, your only task will be placing the box, as it takes care of the rest.
- » A robust design, crafted entirely from stainless steel material, and a working principle that instills confidence.



Box Closing Table

Box closing tables, designed to close covers before processing packed products through the box banding machine, provide a comfortable and convenient working environment.




- » Designed for comfortable handling and easy cleaning, the equipment boasts a stylish and robust design made entirely from stainless steel materials.
- » With long-life durable bearings, it ensures a smooth transfer for products.
- » Moreover, it can be specially produced in various shapes and sizes, tailored to different usage locations and purposes!



Roller Table


It is now much easier to transfer your packaged products from one location to another with roller tables...

- » Designed for comfortable handling and easy cleaning, the equipment boasts a stylish and robust design made entirely from stainless steel materials.
- » With long-life durable bearings, it ensures a smooth transfer for products.
- » Moreover, it can be specially produced in various shapes and sizes, tailored to different usage locations and purposes!



STANDART ROLLER TABLE DIMENSIONS

Width x Length (mm)	B						
A	1500	2000	2500	3000	4000	5000	6000
400	✓	✓	✓	✓	✓	✓	✓
500	✓	✓	✓	✓	✓	✓	✓
700	✓	✓	✓	✓	✓	✓	✓
900	✓	✓	✓	✓	✓	✓	✓



APRICOT


WASHING AND GRADING LINE




Dried Apricot Washing & Grading Line

The ability of processing products from minimum 1 ton to maximum 10 tons per hour.

- » Powerful design, constructed with high-quality stainless steel material.
- » It can be specially produced in various shapes and sizes tailored to the specific usage place and purpose.
- » The ultimate destination for quality service and assurance in quality.



DRIED APRICOT WASHING AND GRADING LINE






Sack Lifting Crane

With the sack lifting crane, you can effortlessly lift and pour out your product-filled sacks, providing convenience and ease.

- » Constructed from entirely stainless steel material, highly durable, and exceptionally practical.
- » Ease your burden with simple installation and easy cleanability.
- » The sack lifting crane, controllable through the remote hand control system, provides a convenient and safe user experience.
- » It can be custom-produced in various sizes to suit different usage locations and purposes!






Feeding Conveyor

Transporting your raw or processed products from one location to another is now significantly simplified with feeding conveyors.

- » A user-friendly stylish and elegant design, crafted entirely from stainless steel material.
- » Simplified cleaning process.
- » PVC-palletized belt.
- » Significant tank capacity.
- » Variable speed control.
- » It can be custom-produced in various sizes to suit different usage locations and purposes!





Wet Lump Block Opening Conveyor

You will witness how even the most stubborn products, which have been stuck to each other, can be separated into granules with the wet lump block opening conveyor.

- » Thanks to the anchors, the skilled craftsmen of the lump block crushing process, even the most stubborn blocks will be gently separated into pieces.
- » Elegant and dynamic design crafted from highquality stainless steel material.
- » You can enhance the value of your products and streamline operations with modular belts featuring top perforations, preventing water retention, exhibiting exceptional durability against high temperatures, and ensuring easy cleaning.







Brush Washing Machine

The brush washing machine effectively removes black stains from the apricot surface without causing any damage, ensuring a thorough and gentle cleaning process.

- » The equipment offers convenient handling and easy cleaning, providing users with a user-friendly experience.
- » You have the flexibility to enhance the value of your products and streamline your operation by utilizing highly durable and stainless steel screens, tailored to meet the specific requirements of each product group.
- » With its specially designed brush system, you can expect the cleaned product's surface to surpass your expectations, ensuring optimal cleanliness and quality.
- » Experience maximum safety and a 100% result guarantee when processing dried products such as Apricot, Date, Plum, Cherry, and more.
- » A robust design, crafted from all stainless steel materials, ensures a reassuring working principle.
- » The challenge of rigidity is effortlessly addressed with adjustable feet, meticulously designed to eliminate any form of jolts.





Z Type Modular Conveyor

Z type modular conveyors step in to aid the transportation of products that cannot be conveyed with PVC belts, navigating even the most challenging and steep locations with ease..

- » Enhance the value of your products and streamline operations with modular belts featuring top perforations, ensuring they don't retain water. These belts are highly durable against high temperatures and easy to clean.
- » It can be custom-manufactured in various shapes and sizes tailored to the specific usage location and purpose.

**ALL AISI
304
STAINLESS
STEEL
MATERIAL**



MODULAR BELT TECHNICAL SPECIFICATIONS

Pitch	50.8 mm
Belt Surface	Foraminated, Smooth Surface
Minimum Width	200 mm
Aperture Rate (%)	%11 (Maximum aperture 1,2x12mm)
Profile	Yes (T25, T50, T75, T100, T150)
Side Wall	Yes (h=25 mm, h=50 mm, h=100 mm)
Pin Diameter	Ø7 mm
Approval	FDA and EU
Curve	No
Colour	Optional
Cleanability	Perfect
Belt Thickness	16 mm



Tub

The tub enables your products to undergo washing, cleaning, moisturizing, and then be seamlessly delivered to the next stage.

- » The ability to work with hot and cold water.
- » Maximum cleaning achieved with air bubbles, ensuring 100% safety.
- » Optional self-heating and burner-operated system features are available.
- » A robust design, constructed from highquality stainless materials, and a reassuring working principle.
- » Highly practical, equipped with easy mobility and cleaning features.
- » It can be specially manufactured in various sizes tailored to the specific usage, location, and purpose.





Powerful
design, all
stainless
materials and
reassuring
working
principle...






Water-Throwing Shaker

The intense mixture of water and product is efficiently separated on the water-throwing shaker, ensuring a quick and reliable progression of the product to the next stage.



- » Enhance the value of your products and improve your operational efficiency with the incorporation of highly durable and stainless steel screens, specifically crafted to meet the distinct requirements of each product group.
- » Achieve optimal results with a robust design featuring an all-stainless-steel body, durable oscillation elements, and powerful vibration, ensuring a 100% effective outcome.
- » The waste water tank is designed to offer great convenience by preventing drains from clogging with large grained products and dust.
- » It can be precisely tailored in various sizes to suit specific usage locations and purposes!



STANDARD SHAKER DIMENSIONS



Width x Lenght (mm)		B				
A	1000	1500	2000	2500	3000	
750	✓	✓	✓	✓	✓	
1000	✓	✓	✓	✓	✓	
1200	✓	✓	✓	✓	✓	
1500	✓	✓	✓	✓	✓	



Grading Shaker

The grading shaker is utilized to separate products into the desired sizes.

- » The grading shaker boasts an all stainless steel body, durable oscillation elements, powerful vibration, and a 100% result guarantee.
- » You have the opportunity to enhance the value of your products and operational efficiency with highly durable stainless steel screens, specially tailored for each product group.
- » The double deck screen system provides significant assistance in separating coarse dust from the product.
- » It can be precisely tailored in various sizes to suit specific usage locations and purposes!
- » The wide necks facilitate easy picking up of products in different sizes, making your work more efficient.







Cooling Tunnel


The cooling tunnel is utilized to reduce the elevated temperature of kiln-dried products to the ambient room temperature.

- » Powerful design, composed of high-quality stainless steel materials, and operating on a reassuring working principle.
- » Flawless protection is ensured, thanks to the specially designed heat-insulated covers.
- » Custom-designed air ducts for chiller cooling systems..



Cooling Tunnel






FIG

WASHING & GRADING LINE




Dried Fig Washing And Grading Line



The ability of processing products from minimum 1 ton to maximum 10 tons per hour.

- » “Powerful design, crafted with high-quality stainless steel material.”
- » It can be specially produced in various shapes and sizes tailored to the specific usage place and purpose.
- » The ultimate destination for quality service and assurance in quality.



Item No	Machine Name
1	Balanced Product Feeding Conveyor
2	Brush Washing Machine
3	Balanced Product Feeding Conveyor
4	Brush Washing Machine
5	Balanced Product Feeding Conveyor
6	Tub


Item No	Machine Name
7	Tub
8	Balanced Product Feeding Conveyor
9	Water-throwing Shaker
10	Balanced Product Feeding Conveyor
11	Grading Shaker
12	Grading Shaker



Feeding Conveyor

Transporting your raw or processed products from one location to another is now significantly simplified with feeding conveyors.

- » A user-friendly stylish and elegant design, crafted entirely from stainless steel material.
- » Simplified cleaning process.
- » PVC-palletized belt.
- » Significant tank capacity.
- » Variable speed control.
- » It can be custom-produced in various sizes to suit different usage locations and purposes!






Brush Washing Machine

The brush washing machine effectively removes black stains from the apricot surface without causing any damage, ensuring a thorough and gentle cleaning process.

- » The equipment offers convenient handling and easy cleaning, providing users with a user-friendly experience.
- » You have the flexibility to enhance the value of your products and streamline your operation by utilizing highly durable and stainless steel screens, tailored to meet the specific requirements of each product group.
- » With its specially designed brush system, you can expect the cleaned product's surface to surpass your expectations, ensuring optimal cleanliness and quality.
- » Experience maximum safety and a 100% result guarantee when processing dried products such as Apricot, Date, Plum, Cherry, and more.
- » A robust design, crafted from all stainless steel materials, ensures a reassuring working principle.
- » The challenge of rigidity is effortlessly addressed with adjustable feet, meticulously designed to eliminate any form of jolts.





Water-Throwing Shaker

The intense mixture of water and product is efficiently separated on the water-throwing shaker, ensuring a quick and reliable progression of the product to the next stage.

- » Enhance the value of your products and improve your operational efficiency with the incorporation of highly durable and stainless steel screens, specifically crafted to meet the distinct requirements of each product group.
- » Achieve optimal results with a robust design featuring an allstainless- steel body, durable oscillation elements, and powerful vibration, ensuring a 100% effective outcome.
- » The waste water tank is designed to offer great convenience by preventing drains from clogging with large-grained products and dust.
- » It can be precisely tailored in various sizes to suit specific usage locations and purposes!



STANDARD SHAKER DIMENSIONS

Width x Lenght (mm)	B				
A	1000	1500	2000	2500	3000
750	✓	✓	✓	✓	✓
1000	✓	✓	✓	✓	✓
1200	✓	✓	✓	✓	✓
1500	✓	✓	✓	✓	✓

Tub

The tub enables your products to undergo washing, cleaning, moisturizing, and then be seamlessly delivered to the next stage.

- » The ability to work with hot and cold water.
- » Maximum cleaning achieved with air bubbles, ensuring 100% safety.
- » Optional self-heating and burner-operated system features are available.
- » A robust design, constructed from highquality stainless materials, and a reassuring working principle.
- » Highly practical, equipped with easy mobility and cleaning features.
- » It can be specially manufactured in various sizes tailored to the specific usage, location, and purpose.



Powerful
design, all
stainless
materials and
reassuring
working
principle...






Case Filling Table

Enhance your work efficiency with the case filling tables, providing great convenience for filling products after the grading process.

- » Featuring a stylish and elegant design crafted from all stainless steel materials, ensuring comfortable handling and easy cleaning.
- » It can be custom-produced in various shapes and sizes to cater to different usage locations and purposes.








Grading Shaker

The grading shaker is utilized to separate products into the desired sizes.

- » The grading shaker boasts an all stainless steel body, durable oscillation elements, powerful vibration, and a 100% result guarantee.
- » You have the opportunity to enhance the value of your products and operational efficiency with highly durable stainless steel screens, specially tailored for each product group.
- » The double deck screen system provides significant assistance in separating coarse dust from the product.
- » It can be precisely tailored in various sizes to suit specific usage locations and purposes!
- » The wide necks facilitate easy picking up of products in different sizes, making your work more efficient.





OTHER PRODUCTS



Salt Dissolving Tank

It is utilized for the dissolution of salt to prepare the saltwater required for washing figs.

- » It becomes increasingly beneficial over time, extending the expected lifespan of the tub.
- » Commanding presence, crafted from highquality stainless steel material, expert workmanship, and delivering impeccable results.
- » It can be tailor-made in various shapes and sizes to suit specific usage locations and purposes!





Multi-Purpose Liquid Tank

Multi-purpose liquid tanks are highly versatile, as they can store various liquid products such as oil, water, acid, and more.



- » Ensuring comfortable handling and easy cleaning for all liquid products.
- » Commanding presence, constructed with highquality stainless steel material, showcasing expert workmanship, and delivering impeccable results.
- » It can be custom-produced in various shapes and sizes to suit specific usage locations and purposes!




THYME

PROCESSING LINE



Thyme Processing Line

The system has the capability to process products, ranging from a minimum of 3 tons to a maximum of 10 tons per day.



- » Striking design, crafted from painted materials in the desired color for a powerful aesthetic.
- » Custom production options available in various shapes and sizes to suit specific usage locations and purposes.
- » The singular destination for service excellence and assurance in quality.



Cyclone

Specially designed cyclones, tailored for specific usage and purposes, facilitate the comfortable and safe movement of products from one place to another.



- » Enhance the aesthetic appeal with optional color alternatives for a more stylish look.
- » Featuring a powerful design, meticulous workmanship, and delivering excellent performance.
- » Surveillance covers offer the capability of direct intervention in any issue as needed.
- » Ensuring balanced product feeding through an air lock mechanism.
- » It can be custom-produced in various sizes to suit specific usage locations and purposes!

Bumach

www.bumach.co

Halkalı Merkez Mah. Ataman Sk. Elitist Park Konutları
A Blok No:6/69 Küçükçekmece / İSTANBUL - TURKEY

- +90 545 552 4300
- info@bumach.co
- bumachinternationaltrade
- bumach-international-trade
- @bumach_turkey
- bumachinternationaltrade8089

